EB-700U



DATASHEET / BROCHURE

















The fit and forget EB-700U ultra-short throw laser projector can create a bright, scalable image up to 130 inches and deliver 20,000 hours of reliable performance.

Epson's first ultra-short throw laser signage projector offers a cheaper alternative to flatscreens for displaying high-quality Full-HD imagery at much larger sizes.

This bright, powerful solution allows the projection of information or video exactly where they're needed, while fit and forget reliability means it can be installed almost anywhere with no need for maintenance.

Bring displays to life with a scalable image up to 130 inches

A large image size of up to 130 inches combines with a bright, sharp 4,000-lumen WUXGA resolution to offer a great ultra-short-throw signage solution. It's ideal for museums and galleries wanting to use striking projection as part of exhibits, or display visitor information that changes regularly. It's equally useful for retailers wanting to display eye-catching information and advertising, and corporates looking for an ultra-short-throw meeting room solution.

Affordable, reliable display solution

The EB-700U is an affordable display solution that that will work reliably with minimal regular maintenance. Thanks to laser technology there are no lamps to replace, and its inorganic panel and phosphor display wheel are so reliable that Epson offers an up to five-year/20,000-hour warranty.

Versatile and easy to install

Compact and light enough to be installed by a single technician, the EB-700U offers the flexibility to fulfil the most exacting brief, and the versatility to work in narrow or awkward spaces. Its ultra-short-throw design enables projection of large images from a short distance, even in narrow areas such as shop windows, plus it can be rotated 360 degrees in any direction, and supports portrait projection.

KEY FEATURES

- Versatile signage projector
 Ultra-short-throw design is perfect for even narrow spaces
- Up to 130-inch HD laser display
 Full HD WUXGA resolution with Epson's
 3LCD technology
- Fit and forget reliability

 Maintenance-free laser projector
 guaranteed for 20,000 hours/five years
- Easy, flexible installation
 Can be rotated 360 degrees, and project in portrait mode
- Simple set-up
 Settings can be adjusted via web
 browser or smart device





PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology LCD Panel 0.67 inch with MLA (D10)

IMAGE

Color Light Output 4,000 Lumen- 2,800 Lumen (economy) In accordance with ISO 21118:2013
White Light Output 4,000 Lumen - 2,800 Lumen (economy) In accordance with ISO 21118:2013

Resolution WUXGA, 1920 x 1200, 16:10

High Definition Full HD
Aspect Ratio 16:10
Contrast Ratio 2,500,000:1
Light source Laser

Laser Light source 20,000 hours Durability High, 30,000 hours Durability Eco

Keystone Correction Manual vertical: \pm 3 $^{\circ}$, Manual horizontal \pm 3 $^{\circ}$

Colour Video Processing 10 Bits
2D Vertical Refresh Rate 192 Hz - 240 Hz
Colour Reproduction Upto 1.07 billion colours

OPTICAL

Throw Ratio 0.27 - 0.37:1

Zoom Digital, Factor: 1 - 1.35

Lens Optical

Screen Size 70 inches - 130 inches
Projection Distance Wide 0.4 m (70 inch screen
Projection Distance Tele 0.8 m (130 inch screen

Projection Lens F Number 1.6
Projection Lens Focal Length 4.2 mm
Projection Lens Focus Manual
Offset 6:1

CONNECTIVITY

USB Display Function 3 in 1: Image / Mouse / Sound

Interfaces USB 2.0 Type A (2x), USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T),

Wireless LAN IEEE 802.11b/g/n (optional), VGA in, VGA out, HDMI in (3x), S-Video in, MHL,

Stereo mini jack audio out, Stereo mini jack audio in (2x)

Epson iProjection App Ad-Hoc / Infrastructure

ADVANCED FEATURES

Security Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless

LAN unit lock, Wireless LAN security, Password protection
Dynamic, Cinema, Presentation, sRGB, Blackboard

2D Colour Modes Dynamic, Cinema, Presentation, sRGB, Blackboard

Other features

Auto brightness adjustment, Automatic input selection, Built-in speaker, Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible, Driverless installation,

Easy OSD pre-setting, Home Screen, Projection App for Chromebook, Split-Screen-Function,

iProjection App

Video Color Modes Blackboard, Cinema, Dynamic, Presentation, sRGB

Projector control via: AMX, Crestron, Control4, Extron

EB-700U

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Quick Start Guide
- Warranty card
- CD Manual
- Main unit





PRODUCT SPECIFICATIONS

GENERAL

Power consumption 423 Watt, 332 Watt (economy), 0.5 Watt (standby), On mode power consumption as defined in

JBMS-84 342 Watt

Supply Voltage AC 220 V - 240 V, 50 Hz - 60 Hz

Product dimensions 494 x 437 x 188 mm (Width x Depth x Height)

Product weight 11 kg

 Noise Level
 Normal: 38 dB (A) - Economy: 27 dB (A)

 Supported Temperature
 Operation 5° C - 40° C, Storage -10° C - 60° C

 Supported Humidity
 Operation 20% - 80%, Storage 10% - 90%

If the projector is suspended from a ceiling or wall mount and installed in an environment with heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke or bubbles are used for event staging, or where aroma oils are frequently burned, it can make certain parts of our products susceptible to a material degradation which over time could

break and cause the projector to drop from the ceiling.

If you are concerned about the environment in which your projector is installed, or if you have any other questions, please contact our support department and they can provide additional

assistance.

Included Software EasyMP Monitor, EasyMP Multi PC Projection
Options Air filter ELPAF38, Wireless LAN unit

Loudspeaker 16 Watt
Colour White
TCO Certified Yes

OTHER

Warranty 60 months Carry in or 20,000 h

Optional warranty extension available

EB-700U

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Quick Start Guide
- Warranty card
- CD Manual
- Main unit



OPTIONAL ACCESSORIES

- Wireless LAN Adapter ELPAP10 V12H731P01
- Air Filter ELPAF43 V13H134A43
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Mount (White) ELPMB22 V12H003B22
- Wall Mount ELPMB53 EB700U V12H902040
- Safety Wire ELPWR01 V12H003W01

LOGISTICS INFORMATION

sku	V11H878541
EAN code	8715946641157
Country of Origin	China
Layer	2 Units
Layer Block	2 Units







For more information please contact:

Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus
* 10p per minute plus network extras. www.epson.co.uk www.epson.ie



EB-700U