

# Deliver perfect presentations with this meeting room solution offering excellent brightness, stream and share features and HDBaseT technology.

With WXGA resolution and an outstanding brightness level of 5,500 lumens, bring sharp images and bright colours to any meeting room with the EB-2165W. Designed to provide a scalable image up to a massive 300 inches, it offers a wide range of connectivity options including HDBaseT, Screen Mirroring and Wireless LAN connectivity, and Gesture Presenter for intuitive control.

### Up to 300-inch display and outstanding quality

WXGA resolution combined with Epson's 3LCD technology ensures high-quality content has more vivid colours and brighter images. HDMI connectivity guarantees sharper and clearer content, even at the maximum image size of 300 inches.

### **HDBaseT** Connectivity

The EB-2165W offers a wide range of connectivity options, including HDBaseT, Screen Mirroring, two HDMI inputs, and Wireless LAN connectivity for PCs and mobile devices. HDBaseT provides Full HD video, audio and Ethernet connectivity via one cable to enable control from 100 metres away.

### Home screen

The home screen offers quick and easy access to a variety of useful functions, such as connection sources. Wireless connections can also be made easily using the information on screen.

## **Gesture Presenter**

Change slides by simply moving your hand, making even smarter presentations a reality by liberating the user from their remote control or mouse.

## Auto Power On

The projector will start-up automatically upon connecting an HDMI, VGA, or USB cable to the connected device, meaning you no longer have to use the power button on the remote control.

### **KEY FEATURES**

~

WXGA

- Up to 300-inch display and great quality
- WXGA resolution with Epson's 3LCD technology
- · Project bold images even in bright rooms
  - Outstanding 5,500-lumen brightness
- Extensive connectivity options HDBaseT, Screen Mirroring and Wireless LAN, as well as dual HDMI
- Flexible interaction Split screen and Multi-PC Projection
- Gesture Presenter Intuitively use gestures to control presentations



**EXCEED YOUR VISION** 

### **PRODUCT SPECIFICATIONS**

TECHNOLOGY		
Projection System	3LCD Technology, RGB liquid crystal shutter	
LCD Panel	0.76 inch with D8	
IMAGE		
Colour Light Output	5,500 lumen- 3,800 lumen (economy) In accordance with IDMS15.4	
White Light Output	5,500 lumen - 3,800 lumen (economy) in accordance with ISO 21118:2012	
Resolution	WXGA, 1280 x 800, 16:10	
Contrast Ratio	15,000 : 1	
Lamp	300 W, 5,000 h durability, 10,000 h durability (economy mode)	
Keystone Correction	Auto vertical: ± 30 °, Auto horizontal ± 20 °	
Colour Reproduction	Upto 1.07 billion colours	
Aspect Ratio	16:10	
Light source	Lamp	
Colour Processing	10 Bits	
2D Vertical Refresh Rate	100 Hz - 120 Hz	
OPTICAL		
Projection Ratio	1.38 - 2.28:1	
Zoom	Digital, Factor: 1 - 1.6	
Image Size	30 inches - 300 inches	
Projection Distance Wide	0.9 m ( 30 inch screen)	
Projection Distance Tele	9 m ( 300 inch screen)	
Projection Lens F Number	1.51 - 1.99	
Focal Distance	23 mm - 38.4 mm	
Focus	Manual	
Offset	10:1	
CONNECTIVITY		
USB Display Function	3 in 1: Image / Mouse / Sound	
Interfaces	USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T),	
	Gigabit ethernet interface, WLAN (optional), Wireless LAN IEEE 802.11b/g/n, VGA in (2x), VGA	
	out, HDMI in (2x), Composite in, RGB in (2x), RGB out, HDBaseT, MHL, Stereo mini jack audio	
	out, Stereo mini jack audio in (2x), Miracast	
Epson iProjection App	Ad-Hoc / Infrastructure	
ADVANCED FEATURES		
Security	Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless	
	LAN unit lock, Wireless LAN security, Password protection	
Features	AV Mute Slide, Automatic input selection, Automatic keystone correction, Built-in speaker,	
	CEC compatible, Direct Power on/off, Document Camera Compatible, Screen Fit, Freeze	
	image, Gesture Presenter, Home Screen, Instant on/off, JPEG Viewer, Long lamp life, MHL	
	audio/video interface, Network administration, OSD copy function, PC Free, iProjection App	
	for Chromebook, Quick Corner, Screen Mirroring, Slide show, Split-Screen-Function, Wireless	
	LAN capable, iProjection App	
Video Colour Modes	Blackboard, Dynamic, Photo, Presentation, sRGB, DICOM SIM	
GENERAL		
Energy Use	425 W, 323 W (economy), 0.5 W (standby)	
Product dimensions	377 x 291 x 110 mm (Width x Depth x Height)	
Product weight		
	4.6 KU	
Noise Level	4.6 kg Normal: 39 dB (A) - Economy: 29 dB (A)	
Noise Level Included Software	4.6 кg Normal: 39 dB (A) - Economy: 29 dB (A) EasyMP Network Monitor, EasyMP Multi PC Projection	
Noise Level Included Software Loudspeaker	Normal: 39 dB (A) - Economy: 29 dB (A)	
Included Software	Normal: 39 dB (A) - Economy: 29 dB (A) EasyMP Network Monitor, EasyMP Multi PC Projection	
Included Software Loudspeaker Colour	Normal: 39 dB (A) - Economy: 29 dB (A) EasyMP Network Monitor, EasyMP Multi PC Projection 16 W	
Included Software Loudspeaker	Normal: 39 dB (A) - Economy: 29 dB (A) EasyMP Network Monitor, EasyMP Multi PC Projection 16 W	

#### EB-2165W

### WHAT'S IN THE BOX

- VGA cable
- Power cable
- Remote control incl. batteries

**EPSON**<sup>®</sup>

- Software (CD)
- Wireless LAN unit
- User Manual (CD-ROM)
- Main unit

#### **OPTIONAL ACCESSORIES**

- Air Filter ELPAF41
  V13H134A41
- Wireless LAN Adapter ELPAP10 V12H731P01
- Soft Carry Case ELPKS68 V12H001K68
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- HDBaseT Transmitter ELPHD01 V12H547041
- Lamp ELPLP95 EB-2xxx/5xxx V13H010L95

### LOGISTICS INFORMATION

ѕки	V11H817041
EAN code	8715946628530
Country of Origin	China

For more information please contact:

Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate. Web: www.epson.co.uk www.epson.ie

1. - iProjection App available on Android and iOS devices



EB-2165W

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.